

Electrical Resource International

Your Source to the Electrical Construction Industry!

LOTO CIRCUIT BREAKERS

Part No.	Cat. No.	Product Image	DESCRIPTION (Add End PN & CN: R=Red Y = Yellow G= Green B=Blue BL-Black W=White)	Size/Type	Color(s)	Material
01020	MCBLPI	PIN-IN CBL	Mini-Ciruit Breaker Lockout "Pin In" -Type Push Button Installation. Convenient thumb rest for quick installation with no screw driver required. Applicapable for Single & Multi Pole Breakers. Light-Weight Padlock Recommended.	Standard w/ 9/32" Max. Shackle Diameter	Red Blue Green Yellow	Nylon, ABS & Tensile Metallic Pin & Spring
01021	MCBLPO	PIN-OUT CBL	Mini-Ciruit Breaker Lockout "Pin Out" -Type Push Button Installation. Convenient thumb rest for quick installation with no screw driver required. Applicapable for Single & Multi Pole Breakers. Light-Weight Padlock Recommended.	Standard w/ 9/32" Max. Shackle Diameter	Red Blue Green Yellow	Nylon, ABS & Tensile Metallic Pin & Spring
01022	MCBLPOW	PIN-OUT WIDE CBL	Mini-Ciruit Breaker Lockout "Pin Out Wide" -Type Push Button Installation. Convenient thumb rest for quick installation with no screw driver required. Applicapable for Single & Multi Pole Breakers. Light-Weight Padlock Recommended.	Standard w/ 9/32" Max. Shackle Diameter	Red Blue Green Yellow	Nylon, ABS & Tensile Metallic Pin & Spring
01023	MCBL20		Mini-Curcuit Breaker Lockout w/Screw Screw Driver Installation. Applicable for Single & Multi-Pole Breakers	Fits Switches .20" (Max Height)	Red Blue Green Yellow	ABS



Electrical Resource International

Your Source to the Electrical Construction Industry!

LOTO CIRCUIT BREAKERS

Part No.	Cat. No.	Product Image	DESCRIPTION (Add End PN & CN: R=Red Y = Yellow G= Green B=Blue BL-Black W=White)	Size/Type	Color(s)	Material
01024	MCBL3060	All consider	Mini-Curcuit Breaker Lockout w/Screw Screw Driver Installation. Applicable for Single & Multi-Pole Breakers	Fits Switches .30"60" (Height)	Red Blue Green Yellow	ABS
01025	MCBL3780	DO SHAPE BANKER BANKER OUT I	Mini-Curcuit Breaker Lockout w/Screw Screw Driver Installation. Applicable for Single & Multi-Pole Breakers	Fits Switches .37"80" (Height)	Red Blue Green Yellow	ABS
01026	UMCBL		Universal Mini-Circuit Breaker Lockout Screwdriver Installation Applicapable for Single & Multi- Pole Breakers	Fits Breaker Handles .30" - 60" H .25" - 44" Thick	Red Blue Green Yellow	ABS
01027	UCBLAS		Universal Circuit Breaker Lockout w/ Adjustable Locking Screw Installed w/o Screwdriver Fits on switch directly-no holes required. Applicable for Single & Multi-Pole Breakers	Fits Switches .30" - 60" H .16" - 35" Thick	Red Blue Green Yellow	ABS



Electrical Resource International

LOTO CIRCUIT BREAKERS

Part No.	Cat. No.	Product Image	DESCRIPTION (Add End PN & CN: R=Red Y = Yellow G= Green B=Blue BL-Black W=White)	Size/Type	Color(s)	Material
01028	LCBLW		Large Circuit Breaker Lockout w/Grip Teeth & Rotation Wheel For 3-Phase Easy Install: Turn the preassembled toggle thumb screw into the Circuit Breaker Handle, add Padlock & Tag. No Tools Required for Installation.	Fits Breakers .80" Thick x 3" Wide	Red Blue Green Yellow	Stainless Steel & Nylon
01029	LCBLAS	THE THE LIBERT OF THE STREET O	Large-Circuit Breaker Lockout w/Grip Teeth & Adjustable Screw For 3-Phase Screw Driver Not Required for Installation	Fits Breakers .80" Thick x 3" Wide	Red Blue Green Yellow	ABS
01030	LCBLNS	THE THE WINDS THE STATES OUT OF THE STATES OUT O	Large- Circuit Breaker Lockout w/o Screw & Grip Teeth For 3-Phase Screw Driver is Required for Installation	Fits Breakers .80" Thick x 3" Wide	Red Blue Green Yellow	ABS
10310	BLOK	Trugue Contraction of the Contra	Breaker Blocker Kit (480/600V) Self-adhesive backs, no drilling required!	Blocking Bars are 7.6" Long Mounting Rails are 4" Long	Red Blue Green Yellow	ABS